

Metallized Carbon Corporation 19 South Water Street Ossining , NY 10562

Phone: (914) 941-3738

Safety Data Sheet

Sec	ction 1: Identification			
Product Ident	ity	Company Details		
Product Name: Product Descripti Graphite for Hi	METCAR High Temperature and Altitude Treated on: gh Temperature and Altitude Applications	Metallized Carbon Corporation 19 South Water Street Ossining , NY 10562		
Relevant Uses Mechanical Applications of Carbon Products		Phone: (914) 941-3738		
		Emergency Telephone Number (914) 941-3738		

Section 2: Hazards Identification

Warning: Respiratory and Skin Irritant
Warning: May form Combustible Dust





Typically this product is sold in a pre-machined form to customer specification where there is little to no risk of particle inhalation by the end consumer. In the cases where blank stock is provided to the consumer, machining can release airborne particles that may be inhaled or cause mechanical irritation to the eyes and skin. Acute exposure is typically not a concern but repeated over exposure may lead to respiratory ailments such as Pneumoconiosis. These airborne particles also have the potential to combust if they exist in sufficient quantity.

Section 3: Composition/Information on Ingredients

Component	C.A.S . #	Relative Concentration by Weight
Natural Graphite	7782-42-5	0-90%
Synthetic Graphite	7782-42-5	0-90%
Carbon Coke	7440-44-0	0-90%
Proprietary Ingredient	N/A	10-40%

^{*}Exact concentration percentage is withheld as a trade secret

Section 4: First Aid Measures

General:	Treat symptomatically; typical hygienic practices are generally adequate.
Contact:	If dust from the product enters the eyes or irritates the skin flush with water.
Inhaled:	If inhaled seek fresh air and rest. Seek medical attention if irritation persists.
Ingested:	If ingested seek medical attention.



Metallized Carbon Corporation 19 South Water Street Ossining , NY 10562 Phone: (914) 941-3738

Section 5: Fire-Fighting Measures

Extinguishing Media

Water, Sand, CO2 Etc.

Special Fire Fighting Procedures

Be aware of potential explosion hazard due to dust accumulation. Use self-contained breathing apparatus as normal.

Section 6: Accidental Release Measures

Steps to Be Taken in Case Material Is Released or Spilled

Normal housekeeping practice; sweep, shovel or vacuum clean up. Avoid creating and inhaling dust

Section 7: Handling and Storage

Precautions to Be Taken in Handling and Storing

Graphite is electrically conductive. Dust accumulations may cause electrical short circuits or other malfunctions.

Avoid storing near oxidizing agents.

Other Precautions

Provide adequate dust collection and/or ventilation during machining.

Section 8: Exposure Controls/Personal Protection

Hazardou: Common	s Components (Specific Chemical Identity, Name(s))	OSH, PEL	A	ACGIH TVL	Other Limits Recommended	
Natural	Graphite (C.A.S. #7782-42-5)	15mg/	m³	2mg/m ³	N/A	
Syntheti	c Graphite (C.A.S. #7782-42-5)	15mg/	m³	2mg/m ³	N/A	
Carbon	(C.A.S. #7440-44-0)	15mg/	m³	10mg/m ³	N/A	
Proprieta	ary Ingredient	2.5mg	/m ³	2.5mg/m ³	N/A	
Necessary R Ventilation	ary Respiratory Protection: NIOSH/OSHA applion Local Exhaust Dust collection when machining.		Specia		EL is exceeded.	
	Mechanical (General) N/A		Other	N/A		
			otection f airbo		s are produced.	
Other Protec	ctive Clothing or Equipment Normal work	clothing				
Nork/Hygien	nic Practices Avoid food and drinks. Wa	sh hands	befor	e eating		



Metallized Carbon Corporation 19 South Water Street Ossining , NY 10562

Phone: (914) 941-3738

Section 9: P	Physical and Chemic	cal Properties					
Boiling Point	Decomposition Temp	Specific Grav	ity (H20 = 1)	Partition Coefficient			
Sublimes at 3000°C	N/A	1.4 – 2.2		N/A			
Vapor Pressure (mm Hg)	рН	Melting Point		Decomposition Temperature			
Negligible at room	N/A	Does not m	elt	N/A			
temperature							
Vapor Density (AIR = 1)	Viscosity	Evaporation F	Rate (Butyl Acetate	Auto-ignition temperature			
Normally Solid N/A	N/A	= 1)		N/A			
		Normally So	olid				
Solubility in Water Insc	luble	•					
Appearance and Odor							
Gray-Black Solid / No O	dor						
Flash Point		Telemonable Limite	T.E.	1151			
Flash Point		Flammable Limits	LEL	UEL			
Does not flash		N/A	N/A	N/A			
Unusual Fire and Explosion H	azards	1	•				
Carbon dust is not norma	ally explosive but it may w	eakly contribute if	the event is initia	ted by another explosive dust or			
gas.							
	Stability and Reacti	ivity					
Stability	Unstable	Conditions	Conditions to Avoid N/A				
	Stable X						
Incompatibility (Materials to A	lvoid)	,					
	vill oxidize slowly in air at t	emp 400°C					
Hazardous Decomposition or							
Combustion produces Co	O and CO2						
Hazardous Polymerization	May Occur	Conditions	to Avoid N/A				
	Will Not Occur X						



Metallized Carbon Corporation 19 South Water Street Ossining , NY 10562

Phone: (914) 941-3738

Section	11: Toxicologic	cal Information			
Route(s) of Entry:	Inhalation?	Yes as dust	Skin? NO	Ingestion?	Unlikely
Health Hazards (Acute a Prolonged and repe		to dust may lead to F	Pneumoconiosis.		
Dust particles may	cause mechanical irr	itation to eyes and sl	kin.		
Carcinogenicity:	NTP? NO	IARC Mon	ographs? NO os	HA Regulated? NC)
Signs and Symptoms of	f Exposure				
As typical for nuisar	nce dust, acute effect	ts are not expected.			
Medical Conditions					
Generally Aggravated b	y Exposure				
Individuals with pre-	existing chronic resp	oiratory impairment o	r with Serum antitryp	sin deficiency may	be at risk of
Pneumoconiosis if p	orolonged.				
Section	12: Ecological	Impact			
		terial would pose a th	reat to the environm	ent. The constituer	nt materials are
relatively inert and r	not expected to have	any meaningful impa	act on the environme	ent.	
Section	13: Disposal Co	onsiderations			
Waste Disposal Method		latiana fan a slid	- diamand Diamand		
Subject to local Stat	te and Federal Regu	lations for solid wast	e disposal. Dispose l	oy buriai in an appr	oved land fill.
	14: Transport Ir				
This product is not r	egulated by the US I	DOT, IATA or IMO.			
Caatian	45. Doguđetem	lufo vmotio n			
	15: Regulatory	on the EPA TSCA ir	nventory.		
7 in components of the	no product are noted	on the LLA TOOA II	TVOTILOTY		



Metallized Carbon Corporation 19 South Water Street Ossining , NY 10562

Phone: (914) 941-3738

Section 16: Other Information

Acronyms:

C.A.S. # - Chemical Abstracts Service Registry Number

OSHA PEL - Occupational Safety and Health Administration Particle Exposure Limit

ACGIH TLV - American Conference of Governmental Industrial Hygienists Threshold Limit Values

LEL/UEL - Lower/Upper Explosive Limit

NTP - National Toxicology Program

IARC - International Agency for Research on Cancer

LC50 - Lethal Concentration to kill 50% of the population

LD50 - Lethal Dose at which 50% of the population is killed

US DOT - United States Department of Transportation

IATA - International Air Transport Association

IMO - International Maritime Organization

EPA TSCA: Environmental Protection Agency Toxic Substance Control Act

Disclaimer: The information presented in this SDS is provided based on the data available at this time. No warranty is implied through the materials provided and we assume no responsibility for its use. It is the user's responsibility to assure the proper use of this product.

Prepared on: May 25, 2016